

	Type	L #	Hits	Search Text
1	IS&R	L1	3	(81/9.22).CCLS.
2	BRS	L5	0	L4 and resistor
3	BRS	L6	0	L4 and (dampen or damp or dampener)
4	BRS	L7	0	(tattoo adj machine) and (dampen or damp or dampener)
5	BRS	L12	77	L10 or L4
6	BRS	L16	166	L13 or L12
7	BRS	L24	253	L22 or L16
8	BRS	L27	415	L25 or L24
9	BRS	L38	1019	L31 or L32 or L33 or L34 or L35 or L36 or L37
10	BRS	L28	1	(rate near oscillation near (damp or dampen or dampener))
11	IS&R	L2	34	((("D432653") or ("D346025") or ("3509786") or ("4031783") or ("4159659") or ("4204438") or ("4392493") or ("4488550") or ("4508106") or ("4582606") or ("0464801") or ("4665912") or ("4671277") or ("4719825") or ("4771660") or ("4782725") or ("4796624") or ("4798582") or ("4862772") or ("4914988") or ("5054339") or ("5165488") or ("5279552") or ("5401242") or ("5472449") or ("5551319") or ("5776158") or ("5833649") or ("5586473") or ("6033421") or ("6197034") or ("6282987") or ("6341831") or ("6345553"))).PN.
12	BRS	L3	12	("0498519"   "0635814"   "0768413"   "1724812"   "4159659"   "4771660"   "5054339"   "5551319").PN.

	Type	L #	Hits	Search Text
13	IS&R	L4	34	(("D432653") or ("D346025") or ("3509786") or ("4031783") or ("4159659") or ("4204438") or ("4392493") or ("4488550") or ("4508106") or ("4582606") or ("0464801") or ("4665912") or ("4671277") or ("4719825") or ("4771660") or ("4782725") or ("4796624") or ("4798582") or ("4862772") or ("4914988") or ("5054339") or ("5165488") or ("5279552") or ("5401242") or ("5472449") or ("5551319") or ("5776158") or ("5833649") or ("5586473") or ("6033421") or ("6197034") or ("6282987") or ("6341831") or ("6345553")) .PN.
14	BRS	L8	4	(tatoo) and (dampen or damp or dampener)
15	BRS	L9	5	(tatoo) and (oscillations)
16	IS&R	L10	69	(81/9.22).CCLS.
17	BRS	L11	43	L10 not L4
18	BRS	L14	89	L13 not L12
19	BRS	L15	14	("3742954"   "4442836"   "4637403"   "4850973"   "4976724"   "4994068"   "5318584"   "5324303"   "5350392"   "5368047"   "5423847"   "5454828"   "5540709"   "5662672") .PN.
20	BRS	L17	3	L16 and (dampen or damp or dampener)
21	BRS	L20	13	L19 and ink
22	BRS	L21	6	L19 and (dampen or damp or dampener)
23	IS&R	L22	99	(30/362).CCLS.
24	BRS	L23	87	L22 not L16
25	BRS	L29	6	(control near oscillation near (damp or dampen or dampener))

	Type	L #	Hits	Search Text
26	BRS	L31	28	armature adj bushing
27	IS&R	L32	34	((("D432653") or ("D346025") or ("3509786") or ("4031783") or ("4159659") or ("4204438") or ("4392493") or ("4488550") or ("4508106") or ("4582606") or ("0464801") or ("4665912") or ("4671277") or ("4719825") or ("4771660") or ("4782725") or ("4796624") or ("4798582") or ("4862772") or ("4914988") or ("5054339") or ("5165488") or ("5279552") or ("5401242") or ("5472449") or ("5551319") or ("5776158") or ("5833649") or ("5586473") or ("6033421") or ("6197034") or ("6282987") or ("6341831") or ("6345553"))).PN.
28	IS&R	L33	69	(81/9.22).CCLS.
29	IS&R	L36	99	(30/362).CCLS.
30	BRS	L39	9	L38 and resistor
31	IS&R	L13	112	(606/186).CCLS.
32	IS&R	L25	165	((d24/144) or (d24/170)).CCLS.
33	BRS	L26	162	L25 not L24
34	IS&R	L34	112	(606/186).CCLS.
35	IS&R	L37	165	((d24/144) or (d24/170)).CCLS.
36	IS&R	L18	596	(606/185).CCLS.
37	BRS	L19	577	L18 not L16
38	IS&R	L35	596	(606/185).CCLS.
39	BRS	L30	1742	(oscillation near (damp or dampen or dampener))